In the Claims:

Please cancel claims 6-7. Please amend claim 1. Please add new claims 8-22. The claims are as follows.

- 1. (Currently amended) A method of treating inflammatory disorders in a mammal comprising administering to said mammal a combination of: (i) a standard therapeutic dose of a COX2 inhibitor selected from the group consisting of celecoxib and rofecoxib[[,]] and (ii) low dose aspirin in the an amount of 70-85 mg, and (iii) antioxidant flavanoids; flavonoids or isoflavones.
- 2-5, (Canceled)
- 5. (Previously presented) The method of claim 1, wherein the low dose aspirin is in an enteric coated formulation.
- 6-7. (Canceled)
- 8. (New) The method of claim 1, wherein the combination is a therapeutic composition comprising the COX2 inhibitor and the low dose aspirin.
- 9. (New) The method of claim 8, wherein the therapeutic composition is in an enteric coated formulation.

09/943,048

- 10. (New) The method of claim 1, wherein the combination further comprises an antioxidant selected from the group consisting of a flavanoid, a flavonoid, an isoflavone, and combinations thereof.
- 11. (New) The method of claim 10, wherein the antioxidant comprises the flavanoid.
- 12. (New) The method of claim 10, wherein the antioxidant comprises the flavonoid.
- 13. (New) The method of claim 10, wherein the antioxidant comprises the isoflavone.
- 14. (New) The method of claim 10, wherein the combination is a therapcutic composition comprising the COX2 inhibitor, the low dose aspirin, and the antioxidant.
- 15. (New) The method of claim 14, wherein the therapeutic composition is in an enteric coated formulation.
- 16. (New) A pharmaceutical composition, comprising a therapeutic composition for treating inflammatory disorders in a mammal, said therapeutic composition comprising (i) a standard therapeutic dose of a COX2 inhibitor selected from the group consisting of celecoxib and rofecoxib and (ii) low dose aspirin in an amount of 70-85 mg.
- 17. (New) The pharmaceutical composition of claim 16, wherein the therapeutic composition is 09/943,048

in an enteric coated formulation.

- 18. (New) The pharmaceutical composition of claim 16, wherein the therapeutic composition further comprises an antioxidant selected from the group consisting of a flavanoid, a flavonoid, an isoflavone, and combinations thereof.
- 19. (New) The pharmaceutical composition of claim 18, wherein the antioxidant comprises the flavanoid.
- 20. (New) The pharmaceutical composition of claim 18, wherein the antioxidant comprises the flavonoid.
- 21. (New) The pharmaceutical composition of claim 18, wherein the antioxidant comprises the isoflavone.
- 22. (New) The pharmaceutical composition of claim 18, wherein the therapeutic composition is in an enteric coated formulation.

09/943,048